



T - kusy z materiálu PVC-U

TI 1 T-kus 90°




D	L	Z	E	PN	Obj. č.
16	14	9	23	16	1R.TI1.160
20	16	11	28	16	1R.TI1.200
25	19	14	34	16	1R.TI1.250
32	22	17	42	16	1R.TI1.320
40	26	21	51	16	1R.TI1.400
50	31	26	61	16	1R.TI1.500
63	38	33	75	16	1R.TI1.630
75	44	39	89	16	1R.TI1.750
90	51	47	106	16	1R.TI1.900
110	61	57	129	16	1R.TI1.110
125	69	66	146	16	1R.TI1.130
140	76	72	163	16	1R.TI1.150
160	86	82	186	16	1R.TI1.170
180	96	94	215	16	1R.TI1.180
200	106	101	228	10	1R.TI1.210
225	119	114	258	10	1R.TI1.230
250	131	128	286	10	1R.TI1.260
280	146	144	319	10	1R.TI1.280
315	164	162	360	10	1R.TI1.330

TY 1 T-kus 45°



D	L	Z1	Z2	E	PN	Obj. č.
20	16	7	29	28	16	1R.TY1.200
25	19	7	36	34	16	1R.TY1.250
32	22	9	44	41	16	1R.TY1.320
40	26	11	54	50	16	1R.TY1.400
50	31	12	65	60	16	1R.TY1.500
63	38	14	80	73	16	1R.TY1.630
75	44	17	102	93	10	07.0719
90	51	20	121	116	6	07.0720
110	61	24	148	128	6	07.0721
125	69	30	167	147	6	07.1055
140	76	34	190	168	6	07.0450
160	86	35	200	189	4	1R.TY1.170


TR 1 T-kus 90° s redukcí



D x D	L1	L2	Z1	Z2	E1	E2	PN	Obj. č.
20 x 16	16	14	11	11	28	23	16	1R.TR1.20A
25 x 16	19	14	14	14	34	23	16	1R.TR1.25A
25 x 20	19	16	14	14	34	28	16	1R.TR1.25B
32 x 16	22	14	17	17	42	23	16	1R.TR1.32A


32 x 20	22	16	17	17	42	28	16	1R.TR1.32B
32 x 25	22	19	17	17	42	34	16	1R.TR1.32C
40 x 16	26	14	21	21	51	23	16	1R.TR1.40A
40 x 20	26	16	21	21	51	28	16	1R.TR1.40B
40 x 25	26	19	21	21	51	34	16	1R.TR1.40C
40 x 32	26	22	21	21	51	42	16	1R.TR1.40D
50 x 20	31	16	26	26	61	28	16	1R.TR1.50B
50 x 25	31	19	26	26	61	34	16	1R.TR1.50C
50 x 32	31	22	26	26	61	42	16	1R.TR1.50D
50 x 40	31	26	26	26	61	51	16	1R.TR1.50E
63 x 20							16	1R.TR1.63B
63 x 25	38	19	33	33	75	34	16	1R.TR1.63C
63 x 32	38	22	33	33	75	42	16	1R.TR1.63D
63 x 40	38	26	33	33	75	51	16	1R.TR1.63E
63 x 50	38	31	33	33	75	61	16	1R.TR1.63F
75 x 32	44	22	39	39	89	42	16	1R.TR1.75D
75 x 40	44	26	39	39	89	51	16	1R.TR1.75E
75 x 50	44	31	39	39	89	61	16	1R.TR1.75F
75 x 63	44	38	39	39	89	75	16	1R.TR1.75G
90 x 40	51	26	47	47	106	51	16	1R.TR1.90E
90 x 50	51	31	47	47	106	61	16	1R.TR1.90F
90 x 63	51	38	47	47	106	75	16	1R.TR1.90G
90 x 75	51	44	47	47	106	89	16	1R.TR1.90H
110 x 50	61	31	57	57	129	61	16	1R.TR1.11F
110 x 63	61	38	57	57	129	75	16	1R.TR1.11G
110 x 75	61	44	57	57	129	89	16	1R.TR1.11H
110 x 90	61	51	57	57	129	106	16	1R.TR1.11 I
160 x 90	86						16	1R.TR1.17 I
160 x 110	86	61	82	57	187	131	16	1R.TR1.17 L
160 x 125	86						16	1R.TR1.17M
160 x 140	86						16	1R.TR1.17N
180 x 125	96	69	94	94	215	151	16	1R.TR1.18M
250 x 110	129	63	61	128	285	134	4	1R.TR1.26L
250 x 160	129	87	86	127	285	193	4	1R.TR1.26O
250 x 200	129	106	133	132	285	228	4	1R.TR1.26P
280 x 160	129	88	84	153	320	193	4	1R.TR1.28O
280 x 225	146	117	117	150,5	320	258	4	1R.TR1.28Q
315 x 160	146	86	83	126	355	193	4	1R.TR1.33O
315 x 200	164	106	102	179	355	228	4	1R.TR1.33P
315 x 250	164	131	127	178	355	285	4	1R.TR1.33R

TI 2 T-kus 90°



G	L	Z	E	PN	Obj. č.
3/8"	11,4	11,6	23	16	1R.TI2.160
1/2"	15	12	28	16	1R.TI2.200
3/4"	16,3	16,7	34	16	1R.TI2.250
1"	19,1	19,9	42	16	1R.TI2.320
1 1/4"	21,4	25,6	51	16	1R.TI2.400
1 1/2"	21,4	35,6	61	16	1R.TI2.500
2"	25,7	45,3	75	16	1R.TI2.630
2 1/2"	30,2	52,8	89	16	1R.TI2.750
3"	33,3	64,7	106	16	1R.TI2.900
4"	39,3	78,7	129	16	1R.TI2.110


TI 3 T-kus 90°



D x G	L1	L2	Z1	Z2	E	PN	Obj. č.
16 x 3/8"	14	11,4	9	11,6	23	16	1R.TI3.16A
20 x 1/2"	16	15	11	12	28	16	1R.TI3.20B
25 x 3/4"	19	16,3	14	16,7	34	16	1R.TI3.25C
32 x 1"	22	19,1	17	19,9	42	16	1R.TI3.32D
40 x 1 1/4"	26	21,4	21	25,6	51	16	1R.TI3.40E
50 x 1 1/2"	31	21,4	26	35,6	61	16	1R.TI3.50F

63 x 2"	38	25,7	33	45,3	75	16	1R.TI3.63G
75 x 2 1/2"	44	30,2	39	52,8	89	16	1R.TI3.75H
90 x 3"	51	33,3	47	64,7	106	16	1R.TI3.90 I
110 x 4"	61	39,3	57	78,7	129	16	1R.TI3.11L

TM 3 T-kus 90° vyztužený



D x G	L1	L2	Z1	Z2	E1	E2	PN	Obj. č.
16 x 3/8"	14	11,4	9	11,6	23	25	16	1R.TM3.16A
20 x 1/2"	16	15	11	12	28	30	16	1R.TM3.20B
25 x 3/4"	19	16,3	14	16,7	34	35	16	1R.TM3.25C
32 x 1"	22	19,1	17	19,9	42	45	16	1R.TM3.32D
40 x 1 1/4"	26	21,4	21	25,6	51	55	16	1R.TM3.40E
50 x 1 1/2"	31	21,4	26	35,6	61	65	16	1R.TM3.50F
63 x 2"	38	25,7	33	45,3	75	78	16	1R.TM3.63G