



T - kusy z materiálu PE

T - KUS 90°



DE	PN 3,2, SDR 33			Obj. č.	PN10, SDR 17			Obj. č.	PN 16, SDR 11			Obj. č.
	L	Z	I		L	Z	I		L	Z	I	
20					50	25	8	390101106	50	25	8	390101110
25					60	30	10	390201106	60	30	10	390201110
32					80	40	12	390301106	80	40	12	390301110
40					88	44	16	390401106	88	44	16	390401110
50					116	58	21	390501106	116	58	21	390501110
63					146	73	24	390601106	146	73	24	390601110
75					170	85	28	390701106	170	85	28	390701110
90					200	100	23	390901106	200	100	23	390901110
110	249	121	50	391101103	240	120	43	391101106	240	120	43	391101110
125	262	132	47	391201103	250	125	26	391201106	250	125	26	391201110
140	293	145	48	391401103	280	140	32	391401106	280	140	32	391401110
160	318	160	55	391601103	320	160	40	391601106	320	160	40	391601110
180	356	175	59	391801103	390	195	73	391801106	390	195	73	391801110
200	385	194	55	392001103	430	215	64	392001106	550	215	64	392001110
225	442	212	59	392201103	490	245	72	392201106	620	245	72	392201110
250	465	232	70	392501103	550	275	86	392501106	550	275	86	392501110
280	536	268	80	392801103	620	310	105	392801106	620	310	105	392801110
315	530	263	75	393101103	630	350	111	393101106	700	350	111	393101110
355	658	330	95	393501103	658	330	95	393501106	680	340	101	393501110
400	690	345	104	394001103	690	345	104	394001106	680	338	95	394001110
450	890	450	130	394501103	890	450	130	394501106	900	450	130	394501110
500	895	450	130	395001103	895	450	130	395001106	900	450	130	395001110

T - KUS 90° REDUKOVANÝ krátký



DE1	DE2	PN 10, SDR 17				Obj. č.	PN 16, SDR 11				Obj. č.
		L	Z	l ₁	l ₂		L	Z	l ₁	l ₂	
90	32	213	85	53	23	280903106	213	85	53	23	280903110
90	50	214	93	53	28	280905106	213	90	53	28	280905110
110	32	244	94	66	22	281103106	244	94	66	22	281103110
110	50	238	103	66	27	281105106	244	103	66	27	281105110
110	63	240	105	48	32	581106106	240	105	48	32	581106110
110	90	240	115	48	38	581109106	240	115	48	38	581109110
125	63	264	110	70	31	281206106	278	112	70	31	281206110
125	90	265	124	72	32	581209106	265	124	72	32	581209110
140	63	300	120	83	32	281406106	305	120	83	32	281406110
140	75	300	130	81	35	281407106	305	130	81	35	281407110
140	90	300	130	81	41	281409106	305	130	81	41	281409110
140	110	300	137	50	47	281411106	305	140	50	47	281411110
160	110	320	14	56	38	581611106	320	145	56	38	581611110
160	125	315	150	58	47	281612106	325	150	58	47	281612110
180	63	358	134	125	30	281806106	358	134	125	30	281806110
180	75	360	140	112	30	281807106	352	140	112	30	281807110
180	110	365	158	106	48	581811106	365	158	106	48	581811110
180	125	358	156	92	50	281812106	366	166	92	50	281812110
200	63	382	145	143	31	282006106	382	145	143	31	282006110
200	90	390	162	126	40	282009106	390	162	126	40	282009110
200	110	390	160	122	40	282011106	390	160	122	40	282011110
200	125	390	165	114	43	282012106	390	165	114	43	282012110
200	160	390	165	98	60	282016106	390	180	98	60	282016110
225	90	450	178	75	28	582209106	450	178	75	28	582209110
225	110	440	264	89	89	582211106	440	264	89	88	582211110
225	125	445	180	135	40	282212106	456	178	135	40	282212110
225	160	470	200	89	60	582216106	470	200	89	60	582216110
250	110	455	197	135	38	282511106	463	197	135	38	282511110
250	160	455	219	110	58	282516106	458	219	110	58	282516110

T - KUS 90° PRODLOUŽENÝ pro sváření na tupo a elektrosváření



DE	L	Z	I	PN 10 Obj. č.	PN 16 Obj. č.
20	107	54	35		390105110
25	124	62	41		390205110
32	150	75	51		390305110
40	164	82	55		390405110
50	166	83	51		390505110
63	228	114	70	390605106	390605110
75	240	120	73	390705106	390705110
90	306	153	86	390905106	390905110
110	336	168	95	391105106	391105110
125	354	177	100	391205106	391205110
140	386	193	105	391405106	391405110
160	450	225	124	391605106	391605110
180	466	233	119	391805106	391805110
200	502	251	127	392005106	392005110
225	554	272	138	392205106	392205110
250	628	314	148	392505106	392505110
280	692	346	160	392805106	392805110
315	760	380	170	393105106	393105110
355	820	410	165	393505106	393505110
400	915	460	195	394005106	394005110
450	970	485	195	394505106	394505110
500	1060	530	215	395005106	395005110

T - KUS 45° PRODLOUŽENÝ pro sváření na tupo a elektrosváření



DE	L	Z1	Z2	l	PN 16 Obj. č.	PN 10 Obj. č.
50	219	87	21	55	390546110	
63	245	95	23	63	390646110	390646106
75	290	101	37	75	390746110	390746106
90	370	148	51	85	390946110	390946106
110	400	164	66	85	391146110	391146106
160	540	240	65	110*	391646110	391646106
225	705	334	93	130*	392246110	392246106

* U PN 10 115 a 135

T - KUS 90° prodloužený redukovaný pro sváření na tupo a elektrosváření



DE1	DE2	L	Z	l1	l2	PN 10 Obj. č.	PN 16 Obj. č.
63	32	228	91	70	46	580603106	580603110
63	50	413	100	63	56	580605106	580605110
75	32	512	108	70	46	580703106	580703110
75	50	253	113	70	55	580705106	580705110
75	63	252	117	70	63	580706106	580706110
90	50	275	117	79	55	580905106	580905110
90	63	264	134	79	63	580906106	580906110

90	75	272	138	74	70	580907106	580907110
110	63	316	135	88	62	581106106	581106110
110	75	305	148	82	70	581107106	581107110
110	90	310	155	91	78	581109106	581109110
125	90	358	164	100	85	581209106	581209110
125	110	340	170	87	82	581211106	581211110
140	63	386	160	105	77	581406106	581406110
140	75	386	173	105	78	581407106	581407110
140	90	388	182	105	87	581409106	581409110
140	110	388	188	105	95	581411106	581411110
160	63	424	174	110	72	581606106	581606110
160	75	424	180	111	73	581607106	581607110
160	90	424	190	111	84	581609106	581609110
160	110	424	197	111	93	581611106	581611110
180	75	460	190	116	93	581807106	581807110
180	90	420	200	116	85	581809106	581809110
180	110	460	210	116	95	581811106	581811110
180	125	430	215	116	100	581812106	581812110
180	140	460	220	116	104	581814106	581814110
180	160	460	225	116	110	581816106	581816110
200	63	550	225	134	80	582006106	582006110
200	90	550	227	134	95	582009106	582009110
200	110	550	240	134	103	582011106	582011110
200	125	550	240	134	110	582012106	582012110
200	160	550	265	134	114	582016106	582016110
225	63	540	241	130	69	582206106	582206110
225	75	440	226	120	80	582207106	582207110
225	90	440	224	120	80	582209106	582209110
225	110	522	271	120	92	582211106	582211110
225	125	522	266	120	93	582212106	582212110
225	140	540	276	130	104	582214106	582214110
225	160	522	252	120	109	582216106	582216110
225	180	552	280	131	131	582218106	582218110
250	110	575	242	130	82	582511106	582511110
250	160	575	261	130	98	582516106	582516110
315	110	546	290	170	100	583111106	583111110
315	160	575	310	170	120	583116106	583116110
315	225	640	335	170	145	583122106	583122110
315	250	638	340	170	150	583125106	583125110

Větší rozměry na zakázku, na vyžádání.