

# Dvojcestné kulové kohouty z materiálu PVC-U

## Materiál PVC-U



### 2- cestný kulový kohout S5, ručně ovládaný

- Koule: oboustranně jištěná
- Dosedací kroužek koule: PTFE
- Těsnění: EPDM nebo FPM
- Max. provozní tlak: d 16-d 90 PN10, d 110 PN6

| Ø EPDM          | Objímky Obj.č. | Nátrubky Obj.č. |
|-----------------|----------------|-----------------|
| DN10/d16-3/8"   | 120.001        | 120.954         |
| DN15/d20-1/2"   | 120.016        | 120.958         |
| DN20/d25-3/4"   | 120.031        | 120.962         |
| DN25/d32-1"     | 120.046        | 120.966         |
| DN32/d40-1 1/4" | 120.061        | 120.970         |
| DN40/d50-1 1/2" | 120.076        | 120.078         |
| DN50/d63-2"     | 120.106        | 120.977         |
| DN65/d75-2 1/2" | 120.124        | 120.981         |
| DN80/d90-3"     | 120.266        | 120.985         |
| DN80/d110-4"    | 121.746        |                 |
| Ø               | Závit          | PE nátrubky     |
| DN10/d16-3/8"   | 120.003        | 122.157         |
| DN15/d20-1/2"   | 120.018        | 120.019         |
| DN20/d25-3/4"   | 120.033        | 120.034         |
| DN25/d32-1"     | 120.048        | 120.049         |
| DN32/d40-1 1/4" | 120.063        | 120.064         |
| DN40/d50-1 1/2" | 120.082        | 120.083         |
| DN50/d63-2"     | 120.108        | 120.109         |
| DN65/d75-2 1/2" | 120.126        | 120.708         |
| DN80/d90-3"     | 120.263        | 120.762         |
| DN80/d110-4"    |                | 122.710         |

| Ø FPM           | Objímky Obj.č. | Nátrubky Obj.č. |
|-----------------|----------------|-----------------|
| DN10/d16-3/8"   | 120.006        | 120.955         |
| DN15/d20-1/2"   | 120.021        | 120.959         |
| DN20/d25-3/4"   | 120.036        | 120.963         |
| DN25/d32-1"     | 120.051        | 120.967         |
| DN32/d40-1 1/4" | 120.066        | 120.971         |
| DN40/d50-1 1/2" | 120.086        | 120.974         |
| DN50/d63-2"     | 120.112        | 120.978         |
| DN65/d75-2 1/2" | 120.129        | 120.982         |
| DN80/d90-3"     | 120.267        | 120.986         |
| DN80/d110-4"    | 121.747        |                 |
| Ø               | Závit          | PE nátrubky     |
| DN10/d16-3/8"   | 122.158        | 122.161         |
| DN15/d20-1/2"   | 122.159        | 120.024         |
| DN20/d25-3/4"   | 120.038        | 120.039         |
| DN25/d32-1"     | 120.053        | 120.054         |
| DN32/d40-1 1/4" | 122.160        | 120.069         |
| DN40/d50-1 1/2" | 120.092        | 120.093         |
| DN50/d63-2"     | 120.114        | 120.115         |
| DN65/d75-2 1/2" | 120.151        | 120.830         |
| DN80/d90-3"     | 120.764        | 120.763         |
| DN80/d110-4"    |                | 122.711         |

## 2- cestný kulový kohout S4 SAFETY, ručně ovládaný



- Koule: oboustranně jištěná
- Dosedací kroužek: PTFE
- Těsnění: EPDM nebo FPM
- Max.provozní tlak: d 16 - d 90, PN16, d 90 - PN10, d 110 PN6

| Ø EPDM         | Objímky Obj.č. | Nátrubky Obj.č. |
|----------------|----------------|-----------------|
| DN10/d16-3/8"  | 12.1116        | 12.1239         |
| DN15/d20-1/2"  | 12.1118        | 12.1241         |
| DN20/d25-3/4"  | 12.1120        | 12.1243         |
| DN25/d32-1"    | 12.1122        | 12.1245         |
| DN32/d40-11/4" | 12.1124        | 12.1247         |
| DN40/d50-11/2" | 12.1048        | 12.1249         |
| DN50/d63-2"    | 12.1049        | 12.1251         |
| DN65/d75-21/2" | 12.1128        | 12.1253         |
| DN80/d90-3"    | 12.1130        | 12.1255         |
| DN80/d110-4"   | 12.1746        | 12.5274         |
| Ø              | Závit          | PE nátrubky     |
| DN10/d16-3/8"  | 12.1132        | 12.1150         |
| DN15/d20-1/2"  | 12.1134        | 12.1152         |
| DN20/d25-3/4"  | 12.1136        | 12.1154         |
| DN25/d32-1"    | 12.1138        | 12.1156         |
| DN32/d40-11/4" | 12.1140        | 12.1158         |
| DN40/d50-11/2" | 12.1142        | 12.1160         |
| DN50/d63-2"    | 12.1144        | 12.1162         |
| DN65/d75-21/2" | 12.1146        | 12.1164         |
| DN80/d90-3"    | 12.1148        | 12.1166         |
| DN80/d110-4"   | -              | 12.2637         |
| Ø FPM          | Objímky Obj.č. | Nátrubky Obj.č. |
| DN10/d16-3/8"  | 12.1117        | 12.1240         |
| DN15/d20-1/2"  | 12.1119        | 12.1242         |
| DN20/25-3/4"   | 12.1121        | 12.1244         |
| DN25/d32-1"    | 12.1123        | 12.1246         |
| DN32/d40-11/4" | 12.1125        | 12.1248         |
| DN40/d50-11/2" | 12.1126        | 12.1250         |
| DN50/d63-2"    | 12.1127        | 12.1252         |
| DN65/d75-21/2" | 12.1129        | 12.1254         |
| DN80/d90-3"    | 12.1131        | 12.1256         |
| DN80/d110-4"   | 12.1747        | 12.5392         |
| Ø              | Závit          | PE nátrubky     |
| DN10/d16-3/8"  | 12.1133        | 12.1151         |
| DN15/d20-1/2"  | 12.1135        | 12.1153         |
| DN20/d25-3/4"  | 12.1137        | 12.1155         |
| DN25/d32-1"    | 12.1139        | 12.1157         |
| DN32/d40-11/4" | 12.1141        | 12.1159         |
| DN40/d50-11/2" | 12.1143        | 12.1161         |
| DN50/d63-2"    | 12.1145        | 12.1163         |
| DN65/d75-21/2" | 12.1147        | 12.1165         |
| DN80/d90-3"    | 12.1149        | 12.1167         |
| DN80/d110-4"   | -              | 12.2712         |



- Montážně vybavený kulový kohout
- sedlo PE
- O-kroužky CR
- objímky k lepení

## O-kroužky EPDM

| d  | L  | H   | E   | B    | C   | Z    | PN | Váha | Objed.číslo |
|----|----|-----|-----|------|-----|------|----|------|-------------|
| 16 | 14 | 82  | 53  | 50   | 65  | 43,8 | 16 | 150  | VEEIV01613  |
| 20 | 16 | 82  | 53  | 50   | 65  | 43,8 | 16 | 145  | VEEIV02013  |
| 25 | 19 | 91  | 62  | 58   | 76  | 46,8 | 16 | 220  | VEEIV02513  |
| 32 | 22 | 103 | 71  | 65   | 85  | 53,4 | 16 | 315  | VEEIV03213  |
| 40 | 26 | 120 | 84  | 76   | 100 | 61,8 | 16 | 505  | VEEIV04013  |
| 50 | 31 | 139 | 98  | 85,5 | 112 | 68   | 16 | 725  | VEEIV05013  |
| 63 | 38 | 174 | 117 | 103  | 137 | 85,8 | 16 | 1245 | VEEIV06313  |

VE Série - ruční kulový kohout s modrou rukojetí, pro vodu  
 poznámka: připojení závitovými objímkami - typ VEEFV - na vyžádání

## VXEIV



- Montážně vybavený kulový kohout
- sedlo z PTFE
- objímky k lepení



## O-kroužky FPM

| d  | L  | H   | E   | B    | C   | Z  | PN | Váha | Objed.číslo |
|----|----|-----|-----|------|-----|----|----|------|-------------|
| 16 | 14 | 82  | 53  | 50   | 65  | 54 | 16 | 150  | VXEIV016F   |
| 20 | 16 | 82  | 53  | 50   | 65  | 50 | 16 | 145  | VXEIV020F   |
| 25 | 19 | 91  | 62  | 58   | 76  | 53 | 16 | 220  | VXEIV025F   |
| 32 | 22 | 103 | 71  | 65   | 85  | 59 | 16 | 315  | VXEIV032F   |
| 40 | 26 | 120 | 84  | 76   | 100 | 68 | 16 | 505  | VXEIV040F   |
| 50 | 31 | 139 | 98  | 85,5 | 112 | 77 | 16 | 725  | VXEIV050F   |
| 63 | 38 | 174 | 117 | 103  | 137 | 98 | 16 | 1245 | VXEIV063F   |

VX Série - ruční kulový kohout, také pro agresivní média

poznámka: připojení se závitovými objímkami - typ VXEFV - na vyžádání

## VKDIV - DualBlock - Kulový kohout sedlo PTFE



## O-kroužky EPDM

| d  | B1   | H   | E   | B    | C   | Z    | PN | Váha | Objed.číslo |
|----|------|-----|-----|------|-----|------|----|------|-------------|
| 16 | 29   | 102 | 54  | 54   | 67  | 74,5 | 10 | 200  | VKDIV016E   |
| 20 | 29   | 102 | 54  | 54   | 67  | 73   | 10 | 210  | VKDIV020E   |
| 25 | 34,5 | 114 | 65  | 65   | 85  | 82   | 10 | 320  | VKDIV025E   |
| 32 | 39   | 126 | 73  | 69,5 | 85  | 90   | 10 | 445  | VKDIV032E   |
| 40 | 46   | 141 | 86  | 82,5 | 108 | 100  | 10 | 645  | VKDIV040E   |
| 50 | 52   | 164 | 98  | 89   | 108 | 117  | 10 | 900  | VKDIV050E   |
| 63 | 62   | 199 | 122 | 108  | 134 | 144  | 10 | 1520 | VKDIV063E   |

## O-kroužky FPM

| d  | B1   | H   | E  | B    | C   | Z    | PN | Váha | Objed.číslo |
|----|------|-----|----|------|-----|------|----|------|-------------|
| 16 | 29   | 102 | 54 | 54   | 67  | 74,5 | 10 | 200  | VKDIV016F   |
| 20 | 29   | 102 | 54 | 54   | 67  | 73   | 10 | 210  | VKDIV020F   |
| 25 | 34,5 | 114 | 65 | 65   | 85  | 82   | 10 | 320  | VKDIV025F   |
| 32 | 39   | 126 | 73 | 69,5 | 85  | 90   | 10 | 445  | VKDIV032F   |
| 40 | 46   | 141 | 86 | 82,5 | 108 | 100  | 10 | 645  | VKDIV040F   |

|    |    |     |     |     |     |     |    |      |           |
|----|----|-----|-----|-----|-----|-----|----|------|-----------|
| 50 | 52 | 164 | 98  | 89  | 108 | 117 | 10 | 900  | VKDIV050F |
| 63 | 62 | 199 | 122 | 108 | 134 | 144 | 10 | 1520 | VKDIV063F |

## O-kroužky EPDM

| d   | B1  | H   | B   | C   | PN | Váha | Objed.číslo |
|-----|-----|-----|-----|-----|----|------|-------------|
| 75  | 87  | 290 | 164 | 225 | 10 | 3020 | VKDIV075E   |
| 90  | 105 | 310 | 177 | 327 | 10 | 5075 | VKDIV090E   |
| 110 | 129 | 350 | 195 | 385 | 10 | 7695 | VKDIV110E   |

## O-kroužky FPM

| d   | B1  | H   | B   | C   | PN | Váha | Objed.číslo |
|-----|-----|-----|-----|-----|----|------|-------------|
| 75  | 87  | 290 | 164 | 225 | 10 | 3020 | VKDIV075F   |
| 90  | 105 | 310 | 177 | 327 | 10 | 5075 | VKDIV090F   |
| 110 | 129 | 350 | 195 | 385 | 10 | 7695 | VKDIV110F   |

VK Série - vysoce účinný kulový kohout pro průmysl

poznámka: jiné druhy připojení (nátrubky, závit.objímky PVC-U, nátrubky PE,příruby pevné - na vyžádání)

---