


Kolena z materiálu PVC-U

GO 1 Koleno 90°




D	L	Z	E	PN	Obj. č.
16	14	9	23	16	1R.GO1.160
20	16	11	28	16	1R.GO1.200
25	19	14	34	16	1R.GO1.250
32	22	17	42	16	1R.GO1.320
40	26	21	51	16	1R.GO1.400
50	31	26	61	16	1R.GO1.500
63	38	33	75	16	1R.GO1.630
75	44	39	89	16	1R.GO1.750
90	51	47	106	16	1R.GO1.900
110	61	57	129	16	1R.GO1.110
125	69	66	146	16	1R.GO1.130
140	76	72	163	16	1R.GO1.150
160	86	82	186	16	1R.GO1.170
180	96	94	215	16	1R.GO1.180
200	106	100	229	16	1R.GO1.210
225	119	171,5	258	16	1R.GO1.230
250	131	188	287	10	1R.GO1.260
280	147	210	319	10	1R.GO1.280
315	165	235	360	10	1R.GO1.330

GY 1 Koleno 45°




D	L	Z	E	PN	Obj. č.
16	14	5	21	16	1R.GY1.160
20	16	5,5	28	16	1R.GY1.200
25	19	6	33	16	1R.GY1.250
32	22	7,5	41	16	1R.GY1.320
40	26	10,5	50	16	1R.GY1.400
50	31	11,5	61	16	1R.GY1.500
63	38	14	76	16	1R.GY1.630
75	44	17	90	16	1R.GY1.750
90	51	21,5	107	16	1R.GY1.900
110	61	26	130	16	1R.GY1.110
125	69	31	147	16	1R.GY1.130
140	76	34	163	16	1R.GY1.150
160	86	38	192	16	1R.GY1.170
180	97	38	208	4	1R.GY1.180
200	108	48	230	10	1R.GY1.210
225	121	55	260	10	1R.GY1.230
250	131	58	286	10	1R.GY1.260
280	146	62	320	10	1R.GY1.280
315	164	66	359	10	1R.GY1.330

GO 2 Koleno 90°



G	L	Z	E	PN	Obj. č.
3/8"	11,4	11,6	23	16	1R.GO2.160
1/2"	15	12	28	16	1R.GO2.200
3/4"	16,3	16,7	34	16	1R.GO2.250
1"	19,1	19,9	42	16	1R.GO2.320
1 1/4"	21,4	25,6	51	16	1R.GO2.400
1 1/2"	21,4	35,6	61	16	1R.GO2.500
2"	25,7	45,3	75	16	1R.GO2.630
2 1/2"	30,2	52,8	89	16	1R.GO2.750
3"	33,3	64,7	106	16	1R.GO2.900
4"	39,3	78,7	129	16	1R.GO2.110


GY 2 Koleno 45°



G	L	Z	E	PN	Obj. č.
1/2"	15	12	28	16	1R.GY2.200
3/4"	16,3	16,7	34	16	1R.GY2.250
1"	19,1	19,9	42	16	1R.GY2.320
1 1/4"	21,4	25,6	51	16	1R.GY2.400
1 1/2"	21,4	35,6	61	16	1R.GY2.500
2"	25,7	45,3	75	16	1R.GY2.630

2 1/2"	30,2	52,8	89	16	1R.GY2.750
3"	33,3	64,7	106	16	1R.GY2.900
4"	39,3	78,7	129	16	1R.GY2.110

GO 3 Koleno 90°



D x G	L1	L2	Z1	Z2	E	PN	Obj. č.
16 x 3/8"	14	11,4	9	11,6	23	16	1R.GO3.16A
20 x 1/2"	16	15	11	12	28	16	1R.GO3.20B
25 x 3/4"	19	16,3	14	16,7	34	16	1R.GO3.25C
32 x 1"	22	19,1	17	19,9	42	16	1R.GO3.32D
40 x 1 1/4"	26	21,4	21	25,6	51	16	1R.GO3.40E
50 x 1 1/2"	31	21,4	26	35,6	61	16	1R.GO3.50F
63 x 2"	38	25,7	33	45,3	75	16	1R.GO3.63G
75 x 2 1/2"	44	30,2	39	52,8	89	16	1R.GO3.75H
90 x 3"	51	33,3	47	64,7	106	16	1R.GO3.90 I
110 x 4"	61	39,3	57	78,7	129	16	1R.GO3.11L

GM 3 Koleno 90° vyztužené



D x G	L1	L2	Z1	Z2	E1	E2	PN	Obj. č.
16 x 3/8"	14	11,4	9	11,6	23	25	16	1R.GM3.16A

20 x 1/2"	16	15	11	12	28	30	16	1R.GM3.20B
25 x 3/4"	19	16,3	14	16,7	34	35	16	1R.GM3.25C
32 x 1"	22	19,1	17	19,9	42	45	16	1R.GM3.32D
40 x 1 1/4"	26	21,4	21	25,6	51	55	16	1R.GM3.40E
50 x 1 1/2"	31	21,4	26	35,6	61	65	16	1R.GM3.50F
63 x 2"	38	25,7	33	45,3	75	78	16	1R.GM3.63G
