

# Příruby z materiálu PVC-U

## FL 1 Příruba volná



D	d	E	S	l	f	PN	Obj. č.
20	28	95	11	65	14	10	1R.FL1.200
25	34	105	12	75	14	10	1R.FL1.250
32	42	115	14	85	14	10	1R.FL1.320
40	51	140	15	100	18	10	1R.FL1.400
50	62	150	16	110	18	10	1R.FL1.500
63	78	165	18	125	18	10	1R.FL1.630
75	92	185	19	145	18	10	1R.FL1.750
90	110	200	20	160	18	10	1R.FL1.900
110	133	220	22	180	18	10	1R.FL1.110
125	149	230	24	190	18	10	1R.FL1.130
140	167	250	26	210	18	10	1R.FL1.150
160	190	285	28	240	22	10	1R.FL1.170
200	235	341	30	285	22	10	1R.FL1.210
225	244	341	30	285	22	10	1R.FL1.230
250	281	395	33	350	22	10	1R.FL1.260
280	309	396	35	350	22	10	1R.FL1.280
315	349	465	40	400	22	10	1R.FL1.330
355	386	505	32	460	22	4	1R.FL1.360
400	434	565	33	515	25	4	1R.FL1.410
450	489	615	32	565	25	4	07.0111
500	540	650	31	600	25	4	07.0611

## FF 1 Příruba pevná



D	L	Z	E	I	f	PN	Obj. č.
20	20	4	95	65	14	16	1R.FF1.200
25	23	4	105	75	14	16	1R.FF1.250
32	26	4	115	85	14	16	1R.FF1.320
40	30	4	140	100	18	16	1R.FF1.400
50	36	5	150	110	18	16	1R.FF1.500
63	43	5	165	125	18	16	1R.FF1.630
75	44	6	185	145	18	16	1R.FF1.750
90	51	7	200	160	18	16	1R.FF1.900
110	61	8	220	180	18	16	1R.FF1.110


## FC 1 Příruba slepá



D	E	S	I	f	PN	Obj. č.
20	95	11	64	14	16	1R.FC1.200
25	105	12	76	14	16	1R.FC1.250
32	115	12	86	14	16	1R.FC1.320
40	141	16	100	18	16	1R.FC1.400
50	150	16	111	18	16	1R.FC1.500
63	165	18	126	18	16	1R.FC1.630

75	185	19	145	18	16	1R.FC1.750
90	200	20	160	18	16	1R.FC1.900
110	220	22	180	18	16	1R.FC1.110
125						1R.FC1.130
140						1R.FC1.150
160						1R.FC1.170
180	315	30	270	22	4	1R.FC1.180
200	340	30	295	22	4	1R.FC1.210
225	340	30	295	22	4	1R.FC1.230
250	370	36	350	22	6	07.1095
280	395	36	350	22	6	07.1096
315	445	36	400	22	6	07.1097
355	505	38	460	22	6	07.2070
400	565	42	515	26	6	07.2071

## GQP Plochý těsnící kroužek pro QR 1 (EPDM, FPM)



D	A	B	Sp	Obj. č.
20	20	32	2	1R.GP1.200
25	25	39	2	1R.GP1.250
32	32	48	2	1R.GP1.320
40	40	59	2	1R.GP1.400
50	50	71	2	1R.GP1.500
63	63	88	2	1R.GP1.630
75	75	104	2	1R.GP1.750
90	90	123	2	1R.GP1.900
110	110	148	3	1R.GP1.110
125	125	167	3	1R.GP1.130
140	140	186	3	1R.GP1.150
160	160	211	3	1R.GP1.170
200	197	267	3	1R.GP1.210
225	220	270	3	1R.GP1.230
250	250	305	4	1R.GP1.260
280	265	395	4	07.0182
315	290	462	4	07.0183
355	355	413	3	07.1113

<b>400</b>	400	483	3	<b>07.1114</b>
<b>450</b>	450	537	3	<b>07.1115</b>
<b>500</b>	500	574	3	<b>07.0612</b>

---